

Supra

Technical Specification

Description: F/C WLC white back (GT2)
Mill: Mayr Melnhof Gernsbach

Board Type: Chip
Backing: White
Coating: Full

Coating Weight: 24 gsm
Rev Coating Weight: 5 gsm
Recycld Content: 98%

PRODUCT SPECIFICATION

Caliper	Gsm	Std	Mill Stiffness Taber 15° mNm	
			MD	CD
310	250	Y	6.70	3.30
350	280	Y	10.60	4.40
390	300	Y	12.80	5.60
420	320	Y	15.30	6.70
460	350	Y	19.40	8.60
530	400	Y	26.10	11.80
600	450	Y	36.30	16.60
670	500	Y	50.00	22.40
+/- 5%	+/- 2%		- 15%	- 15%

TEST DATA

Property	Test	Value	UOM	Tolerance
Smoothness	DIN53107	50	ml/min	120 max
Brightness	ISO11475	83	%	+/- 1
Gloss	ISO8254	35	%	
Moisture content	EN20287	6.5 - 7.5	%	+/- 1%

TEST & TECH. NOTES

MAKING NOTES

Minimum sheet size 400 x 600 mm
Maximum sheet size 1600 x 1600 mm LG or SG
When either size >1400 mm, min pallet weight = 1t

QUANTITY TOLERANCES

> 1 +/- 20%
1 - 2.5 t +/- 15%
2.5 - 5 t +/- 7.5%
> 5 t +/- 5%

ORDERING INFORMATION